



YAMAHA MARINE

LINE-UP 2013 VOL.2

Technical Information

EXULT

BIG BOAT

FISHING BOAT

CRUISING BOAT

SAILING CRUISER & DINGHY

TOWING BOAT MARINA FACILITIES

SPORT BOAT IMPORTED BOAT

MARINE JET

OUTBOARD

Boat License School

Sea-Style

Beautiful Oceans Forever Network

Technical Information

	全長[m]	全幅[m]	完成質量[kg]	定員(名)	搭載エンジン	搭載馬力[kW(PS)]
--	-------	-------	----------	-------	--------	--------------

EXULT

EXULT 45 CONVERTIBLE	15.02	4.75	16,309	15	CAT-C12x2	526 (715) x2
EXULT 36 Sport Saloon	11.98	3.97	9,857	12	IPS500x2	272 (370) x2
EXULT 36 Sport Saloon-X NEW	12.48	3.97	10,147	12	IPS500x2	272 (370) x2

BIG BOAT series

YAMAHA 32 CONVERTIBLE	10.84	3.65	6,922	12	SX432KMx2	200 (272) x2
YAMAHA 32 CONVERTIBLE	10.84	3.65	7,187	12	D6-330x2	243 (330) x2
YAMAHA 530 CONVERTIBLE	16.00	4.76	22,000	15	MAN V8-900-CRM x2	662 (900) x2

FISHING BOAT Outboard series

SR-X F50	6.25	2.28	872	5	F50FETX	36.8 (50)
SR-X F70	6.25	2.28	902	5	F70AETX	51.5 (70)
SR-X F90 NEW	6.25	2.28	952	5	F90BETX	66.2 (90)
SR-X F115	6.25	2.28	993	5	F115AETX	84.6 (115)
FF-21 F70	6.45	2.27	921	5	F70AETX	51.5 (70)
YF23F F115	7.50	2.55	1,355	10	F115AETX	84.6 (115)
YF23F F150	7.50	2.55	1,382	10	F150AETX	110.3 (150)
YF-24 F115	7.20	2.59	1,475	8	F115AETX	84.6 (115)
YF-24 F150	7.20	2.59	1,498	8	F150AETX	110.3 (150)
YF-24 F200 NEW	7.20	2.59	1,503	8	F200FETX	147.1 (200)
YF-24-FSR F115	7.20	2.59	1,505	8	F115AETX	84.6 (115)
YF-24-FSR F150	7.20	2.59	1,528	8	F150AETX	110.3 (150)
YF-24-FSR F200 NEW	7.20	2.59	1,533	8	F200FETX	147.1 (200)
YF-27EX F250	8.71	2.70	2,118	12	F250DETU	183.9 (250)
F.A.S.T.26EX F115 NEW	8.40	2.45	1,597	8	F115AETX	84.6 (115)
F.A.S.T.26EX-FSR F115 NEW	8.40	2.45	1,626	8	F115AETX	84.6 (115)
F.A.S.T.26EX F150 NEW	8.40	2.45	1,634	8	F150AETX	110.3 (150)
F.A.S.T.26EX-FSR F150 NEW	8.40	2.45	1,663	8	F150AETX	110.3 (150)
F.A.S.T.26 F115 NEW	8.40	2.45	1,494	8	F115AETX	84.6 (115)
F.A.S.T.26-FSR F115 NEW	8.40	2.45	1,506	8	F115AETX	84.6 (115)
F.A.S.T.26 F150 NEW	8.40	2.45	1,531	8	F150AETX	110.3 (150)
F.A.S.T.26-FSR F150 NEW	8.40	2.45	1,543	8	F150AETX	110.3 (150)
FishingMate 23Cuddy LTD	7.00	2.30	1,107	10	F90BETX	66.2 (90)
FishingMate 23Cuddy EX	7.00	2.30	1,127	10	F90BETX	66.2 (90)
BS-16CC F60	4.80	1.92	496	5	F60CETL	44.1 (60)
BayFisher 25	7.51	2.05	865	8	F90BETL	66.2 (90)
BayFisher 23	7.02	2.01	710	6	F60CETL	44.1 (60)
BayFisher 19	5.61	1.68	482	5	F40FETL	29.4 (40)
FW-20 LTD	6.20	1.95	620	6	F50FETL	36.8 (50)

※FSR:フィッシング・サポート・リモコン仕様

	全長[m]	全幅[m]	完成質量[kg]	定員(名)	搭載エンジン	搭載馬力[kW(PS)]
--	-------	-------	----------	-------	--------	--------------

FISHING BOAT Stern Drive series

F.A.S.T.26 S/D HP FSR NEW	8.40	2.45	1,897	8	D3-170	125 (170)
F.A.S.T.26 S/D HP NEW	8.40	2.45	1,882	8	D3-170	125 (170)
UF-30II S/D 4LHS	9.52	2.64	2,660	11	4LHS-UTZAY	125 (170)
UF-30II S/D 6LP	9.52	2.64	2,680	11	6LP-DTZY	173 (235)

FISHING BOAT Inboard series

UF29F HP	9.56	3.00	3,000	9	D6-330	242.7 (330)
UF29F	9.56	3.00	2,793	9	SX432KM	200 (272)
UF-27 V/B	8.94	2.70	2,610	8	SX422KM	169 (230)
UF-27 V/B-FSR	8.94	2.70	2,649	8	SX422KM	169 (230)
FR-32HP	10.40	3.18	4,145	12	D6-370	272 (370)
FR-32HP-FSR	10.40	3.18	4,174	12	D6-370	272 (370)
FR-32EX HP	10.40	3.18	4,260	12	D6-370	272 (370)
FR-32EX HP-FSR	10.40	3.18	4,289	12	D6-370	272 (370)
FR-32LX HP	10.40	3.18	4,560	12	D6-370	272 (370)
FR-32HP-RH	9.67	3.18	4,145	12	D6-370	272 (370)
FR-32EX HP-RH	9.67	3.18	4,260	12	D6-370	272 (370)
FR-32LX HP-RH	9.67	3.18	4,560	12	D6-370	272 (370)
FG-35II6LY2	11.40	3.03	3,920	13	6LY2-ST	279 (380)
FG-40HP NEW	12.50	3.15	5,503	14	D9-575	423 (575)

CRUISING BOAT series

SR310 F350	9.43 (31ft 11inches)	2.69 (8ft 10inches)	2,879	10	F350AETX	257.4 (350)
SR310 F300	9.43 (31ft 11inches)	2.69 (8ft 10inches)	2,976	10	F300BETU	220.6 (300)
SR310 X	9.43 (31ft 11inches)	2.69 (8ft 10inches)	2,976	10	F350AETX	257.4 (350)
S-QUALO F250	8.84	2.69	2,583	10	F250DETU	183.9 (250)
S-QUALO F300	8.84	2.69	2,583	10	F300BETU	220.6 (300)
S-QUALO S/D	8.85	2.69	3,102	10	D4-260	191.0 (260)
FR-23 ActiveSedan S F115	7.09	2.55	1,700	8	F115AETX	84.6 (115)
FR-23 ActiveSedan S-FSR F115	7.09	2.55	1,730	8	F115AETX	84.6 (115)
FR-23 ActiveSedan S F150	7.09	2.55	1,730	8	F150AETX	110.3 (150)
FR-23 ActiveSedan S-FSR F150	7.09	2.55	1,760	8	F150AETX	110.3 (150)
FR-23 ActiveSedan EX F150	7.09	2.55	1,770	8	F150AETX	110.3 (150)
FR-23 ActiveSedan EX-FSR F150	7.09	2.55	1,800	8	F150AETX	110.3 (150)
LUXAIR F250	7.47	2.79	2,303	10	F250DETU	183.9 (250)
LUXAIR F115x2	7.47	2.79	2,435	10	F115AETX/F115AETX	84.6 (115) x2
LUXAIR F150x2	7.47	2.79	2,489	10	F150AETX/F150AETX	110.3 (150) x2
SC-30eX NEW	9.78	3.20	5,108	12	D3-220A DSPx2	162 (220) x2
AS-21 F90	6.38	2.35	1,266	6	F90BETX	66.2 (90)
AS-21 EX F115	6.38	2.35	1,336	6	F115AETX	84.6 (115)

	全長[m]	全幅[m]	完成質量[kg]	定員(名)	搭載エンジン	搭載馬力[kW(PS)]
--	-------	-------	----------	-------	--------	--------------

TOWING BOAT

AG-21SP F115	6.65	2.30	1,195	8	F115AETX	84.6 (115)
AG-21SP F150	6.65	2.30	1,220	8	F150AETX	110.3 (150)
AG-21BR EX F115	6.65	2.30	1,226	8	F115AETX	84.6 (115)
AG-21BR EX F150	6.65	2.30	1,250	8	F150AETX	110.3 (150)

SPORT BOAT

AR240 High Output NEW	7.20	2.60	1,528	11	1.8L3cc High Output Engine x2	132.4 (180) x2
212X NEW	6.50	2.60	1,388	9	1.8L3cc High Output Engine x2	132.4 (180) x2
SX210 NEW	6.50	2.60	1,304	9	1.8L3cc Engine x2	75 (102) x2
AR192 NEW	5.80	2.44	987	8	1.8L3cc SuperHighOutput Engine	154.5 (210)
AR190 NEW	5.80	2.44	971	8	1.8L3cc High Output Engine	132.4 (180)

SAILING CRUISER & DINGHY

YAMAHA 33S	9.99	3.38	3,250	12(平水)	3YM-SD	16.2 (22)
YAMAHA 30S	8.99	3.10	2,750	12(平水)	2YM-SD	10.3 (14)
YAMAHA 31EX SH	9.50	3.37	3,500	12(平水)	3YM-SD	16.2 (22)
YAMAHA 26 II EX SH	7.99	2.79	1,930	10(平水)	1GM	6.6 (9)
YAMAHA 470CPG	4.75	1.73	120	2	-	-
YAMAHA 14 SeaHopper II	4.24	1.44	84	2	-	-
YAMAHA 14 SeaHopper II SR	4.24	1.44	82	2	-	-

	全長[m]	全幅[m]	乾燥質量[kg]	定員(名)	エンジンタイプ	実称最大馬力[kW(PS)]
--	-------	-------	----------	-------	---------	----------------

MARINE JET

MJ-FX Cruiser SHO NEW	3.56	1.23	387	3	4気筒/4ストローク	154.5 (210)
MJ-FX Cruiser HO NEW	3.56	1.23	374	3	4気筒/4ストローク	132.4 (180)
MJ-FX SHO NEW	3.56	1.23	386	3	4気筒/4ストローク	154.5 (210)
MJ-FX HO NEW	3.56	1.23	373	3	4気筒/4ストローク	132.4 (180)
MJ-FZS NEW	3.37	1.23	369	3	4気筒/4ストローク	154.5 (210)
MJ-VXR NEW	3.27	1.17	330	3	4気筒/4ストローク	132.4 (180)
MJ-VXS NEW	3.22	1.17	327	3	4気筒/4ストローク	132.4 (180)
MJ-VX Deluxe NEW	3.27	1.17	338	3	4気筒/4ストローク	75.0 (102)
MJ-VX Sport	3.22	1.17	334	3	4気筒/4ストローク	75.0 (102)
MJ-SuperJet	2.24	0.68	139	1	2気筒/2ストローク	48.5 (66)

MARINE ENGINE TYPE

Outboard [船外機タイプ]



トランサムに取り付けるため、デッキスペースを十分確保できる。軽量コンパクトでメンテナンスが容易。

Stern Drive [船内外機タイプ]



船内にエンジンを設置するため、排気量の大きいガソリン、ディーゼルエンジンを搭載できる。

Inboard [船内機タイプ]



大排気量ディーゼルエンジンを搭載。外洋航行向きで主に大型船に搭載される。

21

22



YAMAHA MARINE LINE UP 2010

Technical Information

	全長[m]	全幅[m]	完成質量[kg]	定員(名)	搭載エンジン	搭載馬力[kW(PS)]
■ EXULT						
EXULT 45 CONVERTIBLE	15.02	4.75	16,309	15	CAT-C12x2	526(715)x2
EXULT 36 Sport Saloon NEW	11.98	3.97	10,249	12	IPS450x2	243(330)x2
■ BIG BOAT						
YAMAHA 31 CONVERTIBLE	9.99	3.20	4,541	12	SX422KMx2	169(230)x2
YAMAHA 31 SF	9.99	3.20	4,541	12	SX422KMx2	169(230)x2
YAMAHA 32 CONVERTIBLE	10.84	3.65	6,922	12	SX432KMx2	200(272)x2
YAMAHA 32 CONVERTIBLE	10.84	3.65	7,187	12	D6-330x2	243(330)x2
YAMAHA 38 CONVERTIBLE	12.65	4.25	9,950	12	SX750KMx2	330(449)x2
YAMAHA 38 CONVERTIBLE Open View	12.65	4.25	9,950	12	CAT-C7x2	329(447) x2
YAMAHA 38 CONVERTIBLE Open View	12.65	4.25	9,950	12	SX750KMx2	330(449)x2
YAMAHA 530 CONVERTIBLE	16.00	4.76	22,000	15	MAN V8-900 CRM x2	662(900)x2
■ FISHING BOAT Outboard series						
YF-21 F60	6.45	2.27	925	6	F60CETX	44.1(60)
YF-21 F90	6.45	2.27	1,016	6	F90BETX	66.2(90)
YF-21 ノンパッケージ[船体のみ]	6.45	2.27	—	6	—	—
YF-21CC F60	6.45	2.27	880	6	F60CETX	44.1(60)
YF-21CC F90	6.45	2.27	971	6	F90BETX	66.2(90)
YF-21CC ノンパッケージ[船体のみ]	6.45	2.27	—	6	—	—
YF-23 F115	7.50	2.55	1,349	10	F115AETX	84.6(115)
YF-23-FSR F115	7.50	2.55	1,361	10	F115AETX	84.6(115)
YF-23 F150	7.50	2.55	1,378	10	F150AETX	110.3(150)
YF-23-FSR F150	7.50	2.55	1,390	10	F150AETX	110.3(150)
YF-23 FT60x2	7.50	2.55	1,378	10	FT60DETLx2	44.1(60)x2
YF-23 F80x2	7.50	2.55	1,484	10	F80BETLx2	58.8(80)x2
YF-23 ノンパッケージ[船体のみ]	7.50	2.55	—	10	—	—
YF-23EX F115	7.50	2.55	1,449	10	F115AETX	84.6(115)
YF-23EX-FSR F115	7.50	2.55	1,488	10	F115AETX	84.6(115)
YF-23EX-HG F115	7.50	2.55	1,556	10	F115AETX	84.6(115)
YF-23EX F150	7.50	2.55	1,479	10	F150AETX	110.3(150)
YF-23EX-FSR F150	7.50	2.55	1,518	10	F150AETX	110.3(150)
YF-23EX-HG F150	7.50	2.55	1,586	10	F150AETX	110.3(150)
YF-23EX FT60x2	7.50	2.55	1,479	10	FT60DETLx2	44.1(60)x2
YF-23EX F80x2	7.50	2.55	1,585	10	F80BETLx2	58.8(80)x2
YF-23EX ノンパッケージ[船体のみ]	7.50	2.55	—	10	—	—
YF-27 F225	8.71	2.70	2,065	12	F225AETU	165.5(225)
YF-27 F250	8.71	2.70	2,074	12	F250AETU	183.9(250)
YF-27EX F225	8.71	2.70	2,125	12	F225AETU	165.5(225)
YF-27EX-FSR F225	8.71	2.70	2,159	12	F225AETU	165.5(225)
YF-27EX F250	8.71	2.70	2,134	12	F250AETU	183.9(250)
YF-27EX-FSR F250	8.71	2.70	2,168	12	F250AETU	183.9(250)
YF-27EX F300	8.71	2.70	2,310	12	F300AETU	220.7(300)
F.A.S.T.26EX F115	8.40	2.45	1,568	8	F115AETX	84.6(115)
F.A.S.T.26EX-FSR F115	8.40	2.45	1,597	8	F115AETX	84.6(115)
F.A.S.T.26EX-HG F115	8.40	2.45	1,649	8	F115AETX	84.6(115)
F.A.S.T.26EX F150	8.40	2.45	1,595	8	F150AETX	110.3(150)
F.A.S.T.26EX-FSR F150	8.40	2.45	1,624	8	F150AETX	110.3(150)
F.A.S.T.26EX-HG F150	8.40	2.45	1,676	8	F150AETX	110.3(150)
F.A.S.T.26 F115	8.40	2.45	1,473	8	F115AETX	84.6(115)
F.A.S.T.26-FSR F115	8.40	2.45	1,485	8	F115AETX	84.6(115)
F.A.S.T.26 F150	8.40	2.45	1,503	8	F150AETX	110.3(150)
F.A.S.T.26-FSR F150	8.40	2.45	1,515	8	F150AETX	110.3(150)
F.A.S.T.21 F90	6.38	2.35	1,114	6	F90BETX	66.2(90)
F.A.S.T.21 F115	6.38	2.35	1,131	6	F115AETX	84.6(115)

	全長[m]	全幅[m]	完成質量[kg]	定員(名)	搭載エンジン	搭載馬力[kW(PS)]
■ FISHING BOAT Outboard series						
UF-26CC F225	8.61	2.70	1,737	10	F225AETX	165.5(225)
UF-26CC ノンパッケージ[船体のみ]	8.61	2.70	—	10	—	—
UF-26 O/B F150	8.61	2.70	1,680	10	F150AETX	110.3(150)
UF-26 O/B F200	8.61	2.70	1,772	10	F200AETX	147.1(200)
UF-26 O/B-FSR F200	8.61	2.70	1,811	10	F200AETX	147.1(200)
UF-26 O/B ノンパッケージ[船体のみ]	8.61	2.70	—	10	—	—
FishingMate 23Cuddy LTD	7.00	2.30	1,107	10	F90BETX	66.2(90)
FishingMate 23Cuddy EX NEW	7.00	2.30	1,127	10	F90BETX	66.2(90)
BS-16CC F60	4.80	1.92	496	5	F60CETL	44.1(60)
BS-16CC F90	4.80	1.92	516	5	F60CETL	44.1(60)
BS-16CC ノンパッケージ[船体のみ]	4.80	1.92	—	5	—	—
BS-16 ノンパッケージ[船体のみ]	4.80	1.92	—	5	—	—
BS-21 F60	6.38	2.35	965	6	F60CETX	44.1(60)
BS-21 F90	6.38	2.35	1,038	6	F90BETX	66.2(90)
BS-21 F115	6.38	2.35	1,058	6	F115AETX	84.6(115)
BS-21 EX F90	6.38	2.35	1,085	6	F90BETX	66.2(90)
BS-21 EX F115	6.38	2.35	1,105	6	F115AETX	84.6(115)
BS-21 ノンパッケージ[船体のみ]	6.38	2.35	—	6	—	—
BayFisher 25	7.51	2.05	865	8	F90BETL	66.2(90)
BayFisher 23 NEW	7.03	2.01	710	6	F60CETL	44.1(60)
BayFisher 23 ノンパッケージ[船体のみ] NEW	7.03	2.01	—	6	—	—
BayFisher 19 NEW	5.61	1.68	482	5	F40FETL	29.4(40)
BayFisher 19 ノンパッケージ[船体のみ] NEW	5.61	1.68	—	5	—	—
FW-20 LTD	6.20	1.95	620	6	F50FETL	36.8(50)
■ FISHING BOAT Stern Drive series						
F.A.S.T.26 S/D (機連装置付)	8.40	2.45	2,011	8	D270KU	95.0(129)
F.A.S.T.26 S/D (機連装置無)	8.40	2.45	1,961	8	D270KU	95.0(129)
UF-26 S/D SX	8.48	2.70	2,020	10	SX372KS	121(165)
UF-30II S/D 4LHS	9.52	2.64	2,660	11	4LHS-UTZAY	125(170)
UF-30II S/D 6LP	9.52	2.64	2,680	11	6LP-DTZY	173(235)
■ FISHING BOAT Inboard series						
UF-27 I/B	8.94	2.70	2,610	8	SX422KM	169(230)
UF-27 I/B-FSR	8.94	2.70	2,649	8	SX422KM	169(230)
UF-29 I/B	9.55	3.00	2,630	9	SX422KM	169(230)
UF-29 I/B-FSR	9.55	3.00	2,669	9	SX422KM	169(230)
UF-29 I/B HP	9.55	3.00	2,655	9	SX432KM	200(272)
UF-29 I/B HP-FSR	9.55	3.00	2,694	9	SX432KM	200(272)
FR-32	10.40	3.18	4,455	12	MD730KH	250(340)
FR-32-FSR	10.40	3.18	4,484	12	MD730KH	250(340)
FR-32EX	10.40	3.18	4,570	12	MD730KH	250(340)
FR-32EX-FSR	10.40	3.18	4,599	12	MD730KH	250(340)
FR-32LX	10.40	3.18	4,870	12	MD730KH	250(340)
FR-32LX-FSR	10.40	3.18	4,899	12	MD730KH	250(340)
FR-32-RH	9.67	3.18	4,455	12	MD730KH	250(340)
FR-32-RH-FSR	9.67	3.18	4,484	12	MD730KH	250(340)
FR-32EX-RH	9.67	3.18	4,570	12	MD730KH	250(340)
FR-32EX-RH-FSR	9.67	3.18	4,599	12	MD730KH	250(340)
FR-32LX-RH	9.67	3.18	4,870	12	MD730KH	250(340)
FR-32LX-RH-FSR	9.67	3.18	4,899	12	MD730KH	250(340)
FG-35II MD730	11.40	3.03	4,300	13	MD730KH	250(340)
FG-35II-FSR MD730	11.40	3.03	4,359	13	MD730KH	250(340)
FG-35II 6LY2	11.40	3.03	3,920	13	6LY2-ST	279(380)

	全長[m]	全幅[m]	完成質量[kg]	定員(名)	搭載エンジン	搭載馬力[kW(PS)]
FG-40II [ブラケット仕様]	12.5	3.15	5,320	14	MD750KH	339.8(462)
FG-40II-FSR [ブラケット仕様]	12.5	3.15	5,349	14	MD750KH	339.8(462)
FG-40II [セミキール仕様]	12.5	3.15	5,370	14	MD750KH	339.8(462)
FG-40II-FSR [セミキール仕様]	12.5	3.15	5,399	14	MD750KH	339.8(462)
■ CRUISING BOAT						
FR-23 ActiveSedan S F115	7.09	2.55	1,700	8	F115AETX	84.6(115)
FR-23 ActiveSedan S-FSR F115	7.09	2.55	1,730	8	F115AETX	84.6(115)
FR-23 ActiveSedan S F150	7.09	2.55	1,730	8	F150AETX	110.3(150)
FR-23 ActiveSedan S-FSR F150	7.09	2.55	1,760	8	F150AETX	110.3(150)
FR-23 ActiveSedan EX F150	7.09	2.55	1,770	8	F150AETX	110.3(150)
FR-23 ActiveSedan EX-FSR F150	7.09	2.55	1,800	8	F150AETX	110.3(150)
24Siesta LX F150	7.88	2.63	1,884	10	F150AETX	110.3(150)
24Siesta LX F225	7.88	2.63	1,933	10	F225AETX	165.5(225)
24Siesta FV F150	7.88	2.63	1,880	10	F150AETX	110.3(150)
LUXAIR F225	7.47	2.79	2,305	10	F225AETU	165.5(225)
LUXAIR F250	7.47	2.79	2,319	10	F250AETU	183.9(250)
LUXAIR F115x2	7.47	2.79	2,435	10	F115AETU/F115AETU	84.6(115)x2
LUXAIR F150x2	7.47	2.79	2,489	10	F150AETU/F150AETU	110.3(150)x2
CR-28FB	9.22	2.97	3,378	12	SX422KSH	177(240)
CR-28Twin	9.80	2.97	3,883	12	SX372KSx2	121(165)x2
CR-28TwinEX	9.80	2.97	3,936	12	SX372KSx2	121(165)x2
SC-30	9.78	3.20	4,969	12	D3-190Ax2	140(190)x2
SC-30-HG	9.78	3.20	5,088	12	D3-190Ax2	140(190)x2
CR-33	11.27	3.55	6,300	12	D6-370	272(370)
■ AEROSPORTS & AERO GEAR						
AS-21 FT60	6.38	2.35	1,130	6	FT60DETX	44.1(60)
AS-21 F90	6.38	2.35	1,266	6	F90BETX	66.2(90)
AS-21 HP ノンパッケージ[船体のみ]	6.38	2.35	—	6	—	—
AS-21 EX F115	6.38	2.35	1,336	6	F115AETX	84.6(115)
AS-21 ノンパッケージ[船体のみ]	6.38	2.35	—	6	—	—
AG-21SP F115	6.65	2.30	1,195	8	F115AETX	84.6(115)
AG-21SP F150	6.65	2.30	1,220	8	F150AETX	110.3(150)
AG-21SP ノンパッケージ[船体のみ]	6.65	2.30	—	8	—	—
AG-21BR F115	6.65	2.30	1,219	8	F115AETX	84.6(115)
AG-21BR F150	6.65	2.30	1,243	8	F150AETX	110.3(150)
AG-21BR ノンパッケージ[船体のみ]	6.65	2.30	—	8	—	—
AG-21BR EX F115	6.65	2.30	1,226	8	F115AETX	84.6(115)
AG-21BR EX F150	6.65	2.30	1,250	8	F150AETX	110.3(150)
AG-21BR EX ノンパッケージ[船体のみ]	6.65	2.30</				